

| 呼稱 型號 | 外徑 (mm) | 內徑 (mm) | 自由長 (mm) | 定數 (kgf/mm) | 30萬回 | | 50萬回 | | 100萬回 | |
|-----------|------------|------------|-------------|----------------|-------------|-----------------|-------------|----------------|-------------|-----------------|
| | | | | | 壓縮量 (mm) | 荷重 kgf(N) | 壓縮量 (mm) | 荷重 kgf(N) | 壓縮量 (mm) | 荷重 kgf(N) |
| DWL 8x10 | 8 | 4 | 10 | 2.50 | 4.0 | 10.00 (98.1) | 3.6 | 9.00 (78.5) | 3.2 | 8.00 (78.5) |
| 15 | | | 15 | 1.67 | 6.0 | | 5.4 | | 4.8 | |
| 20 | | | 20 | 1.25 | 8.0 | | 7.2 | | 6.4 | |
| 25 | | | 25 | 1.00 | 10.0 | | 9.0 | | 8.0 | |
| 30 | | | 30 | 0.83 | 12.0 | | 10.8 | | 9.6 | |
| 35 | | | 35 | 0.71 | 14.0 | | 12.6 | | 11.2 | |
| 40 | | | 40 | 0.63 | 16.0 | | 14.4 | | 12.8 | |
| 45 | | | 45 | 0.56 | 18.0 | | 16.2 | | 14.4 | |
| 50 | | | 50 | 0.50 | 20.0 | | 18.0 | | 16.0 | |
| 55 | | | 55 | 0.46 | 22.0 | | 19.8 | | 17.6 | |
| 60 | 60 | 0.42 | 24.0 | 21.6 | 19.2 | | | | | |
| DWL 10x20 | 10 | 5 | 20 | 1.81 | 8.0 | 14.5 (142.2) | 7.2 | 13 (127.5) | 6.4 | 11.5 (112.8) |
| 25 | | | 25 | 1.45 | 10.0 | | 9.0 | | 8.0 | |
| 30 | | | 30 | 1.21 | 12.0 | | 10.8 | | 9.6 | |
| 35 | | | 35 | 1.03 | 14.0 | | 12.6 | | 11.2 | |
| 40 | | | 40 | 0.90 | 16.0 | | 14.4 | | 12.8 | |
| 45 | | | 45 | 0.80 | 18.0 | | 16.2 | | 14.4 | |
| 50 | | | 50 | 0.73 | 20.0 | | 18.0 | | 16.0 | |
| 55 | | | 55 | 0.66 | 22.0 | | 19.8 | | 17.6 | |
| 60 | | | 60 | 0.60 | 24.0 | | 21.6 | | 19.2 | |
| 65 | | | 65 | 0.55 | 26.0 | | 23.4 | | 20.8 | |
| 70 | 70 | 0.51 | 28.0 | 25.2 | 22.4 | | | | | |
| 75 | 75 | 0.48 | 30.0 | 27.0 | 24.0 | | | | | |
| 80 | 80 | 0.45 | 32.0 | 28.8 | 25.6 | | | | | |
| DWL 12x20 | 12 | 6 | 20 | 2.63 | 8.0 | 21 (206) | 7.2 | 19 (186.3) | 6.4 | 17 (166.7) |
| 25 | | | 25 | 2.10 | 10.0 | | 9.0 | | 8.0 | |
| 30 | | | 30 | 1.75 | 12.0 | | 10.8 | | 9.6 | |
| 35 | | | 35 | 1.50 | 14.0 | | 12.6 | | 11.2 | |
| 40 | | | 40 | 1.32 | 16.0 | | 14.4 | | 12.8 | |
| 45 | | | 45 | 1.17 | 18.0 | | 16.2 | | 14.4 | |
| 50 | | | 50 | 1.05 | 20.0 | | 18.0 | | 16.0 | |
| 55 | | | 55 | 0.96 | 22.0 | | 19.8 | | 17.6 | |
| 60 | | | 60 | 0.88 | 24.0 | | 21.6 | | 19.2 | |
| 65 | | | 65 | 0.81 | 26.0 | | 23.4 | | 20.8 | |
| 70 | 70 | 0.75 | 28.0 | 25.2 | 22.4 | | | | | |
| 75 | 75 | 0.70 | 30.0 | 27.0 | 24.0 | | | | | |
| 80 | 80 | 0.66 | 32.0 | 28.8 | 25.6 | | | | | |
| DWL 14x25 | 14 | 7 | 25 | 2.80 | 10.0 | 28 (275) | 9.0 | 25 (245) | 8.0 | 22 (216) |
| 30 | | | 30 | 2.34 | 12.0 | | 10.8 | | 9.6 | |
| 35 | | | 35 | 2.00 | 14.0 | | 12.6 | | 11.2 | |
| 40 | | | 40 | 1.75 | 16.0 | | 14.4 | | 12.8 | |
| 45 | | | 45 | 1.56 | 18.0 | | 16.2 | | 14.4 | |
| 50 | | | 50 | 1.40 | 20.0 | | 18.0 | | 16.0 | |
| 55 | | | 55 | 1.27 | 22.0 | | 19.8 | | 17.6 | |
| 60 | | | 60 | 1.17 | 24.0 | | 21.6 | | 19.2 | |
| 65 | | | 65 | 1.08 | 26.0 | | 23.4 | | 20.8 | |
| 70 | | | 70 | 1.00 | 28.0 | | 25.2 | | 22.4 | |
| 75 | 75 | 0.93 | 30.0 | 27.0 | 24.0 | | | | | |
| 80 | 80 | 0.87 | 32.0 | 28.8 | 25.0 | | | | | |
| 90 | 90 | 0.77 | 36.0 | 32.4 | 28.8 | | | | | |
| DWL 16x25 | 16 | 8 | 25 | 3.50 | 10.0 | 35 (343) | 9.0 | 32 (314) | 8.0 | 28 (275) |
| 30 | | | 30 | 2.92 | 12.0 | | 10.8 | | 9.6 | |
| 35 | | | 35 | 2.50 | 14.0 | | 12.6 | | 11.2 | |
| 40 | | | 40 | 2.19 | 16.0 | | 14.4 | | 12.8 | |
| 45 | | | 45 | 1.95 | 18.0 | | 16.2 | | 14.4 | |
| 50 | | | 50 | 1.75 | 20.0 | | 18.0 | | 16.0 | |
| 55 | | | 55 | 1.60 | 22.0 | | 19.8 | | 17.6 | |
| 60 | | | 60 | 1.46 | 24.0 | | 21.6 | | 19.2 | |
| 65 | | | 65 | 1.35 | 26.0 | | 23.4 | | 20.8 | |
| 70 | | | 70 | 1.25 | 28.0 | | 25.2 | | 22.4 | |
| 75 | 75 | 1.17 | 30.0 | 27.0 | 24.0 | | | | | |
| 80 | 80 | 1.10 | 32.0 | 28.8 | 25.0 | | | | | |
| 90 | 90 | 0.98 | 36.0 | 32.4 | 28.8 | | | | | |
| 100 | 100 | 0.88 | 40.0 | 36.0 | 32.0 | | | | | |

| 呼稱 型號 | 外徑 (mm) | 內徑 (mm) | 自由長 (mm) | 定數 (kgf/mm) | 30萬回 | | 50萬回 | | 100萬回 | |
|-----------|------------|------------|-------------|----------------|-------------|--------------|-------------|--------------|-------------|--------------|
| | | | | | 壓縮量 (mm) | 荷重 kgf(N) | 壓縮量 (mm) | 荷重 kgf(N) | 壓縮量 (mm) | 荷重 kgf(N) |
| DWL 18x25 | 18 | 9 | 25 | 4.30 | 10.0 | 43 (422) | 9.0 | 39 (382) | 8.0 | 34 (333) |
| 30 | | | 30 | 3.58 | 12.0 | | 10.8 | | 9.6 | |
| 35 | | | 35 | 3.07 | 14.0 | | 12.6 | | 11.2 | |
| 40 | | | 40 | 2.69 | 16.0 | | 14.4 | | 12.8 | |
| 45 | | | 45 | 2.39 | 18.0 | | 16.2 | | 14.4 | |
| 50 | | | 50 | 2.15 | 20.0 | | 18.0 | | 16.0 | |
| 55 | | | 55 | 1.96 | 22.0 | | 19.8 | | 17.6 | |
| 60 | | | 60 | 1.79 | 24.0 | | 21.6 | | 19.2 | |
| 65 | | | 65 | 1.66 | 26.0 | | 23.4 | | 20.8 | |
| 70 | | | 70 | 1.54 | 28.0 | | 25.2 | | 22.4 | |
| 75 | | | 75 | 1.44 | 30.0 | | 27.0 | | 24.0 | |
| 80 | | | 80 | 1.35 | 32.0 | | 28.8 | | 25.6 | |
| 90 | 90 | 1.20 | 36.0 | 32.4 | 28.8 | | | | | |
| 100 | 100 | 1.07 | 40.0 | 36.0 | 32.0 | | | | | |
| DWL 20x25 | 20 | 10 | 25 | 5.40 | 10.0 | 54 (530) | 9.0 | 49 (481) | 8.0 | 43 (422) |
| 30 | | | 30 | 4.50 | 12.0 | | 10.8 | | 9.6 | |
| 35 | | | 35 | 3.86 | 14.0 | | 12.6 | | 11.2 | |
| 40 | | | 40 | 3.38 | 16.0 | | 14.4 | | 12.8 | |
| 45 | | | 45 | 3.00 | 18.0 | | 16.2 | | 14.4 | |
| 50 | | | 50 | 2.70 | 20.0 | | 18.0 | | 16.0 | |
| 55 | | | 55 | 2.45 | 22.0 | | 19.8 | | 17.6 | |
| 60 | | | 60 | 2.25 | 24.0 | | 21.6 | | 19.2 | |
| 65 | | | 65 | 2.08 | 26.0 | | 23.4 | | 20.8 | |
| 70 | | | 70 | 1.93 | 28.0 | | 25.2 | | 22.4 | |
| 75 | | | 75 | 1.80 | 30.0 | | 27.0 | | 24.0 | |
| 80 | | | 80 | 1.69 | 32.0 | | 28.8 | | 25.6 | |
| 90 | | | 90 | 1.50 | 36.0 | | 32.4 | | 28.8 | |
| 100 | | | 100 | 1.35 | 40.0 | | 36.0 | | 32.0 | |
| 125 | | | 125 | 1.08 | 50.0 | | 45.0 | | 40.0 | |
| 150 | 150 | 0.90 | 60.0 | 54.0 | 48.0 | | | | | |
| DWL 22x25 | 22 | 11 | 25 | 6.70 | 10.0 | 67 (657) | 9.0 | 60 (588) | 8.0 | 54 (530) |
| 30 | | | 30 | 5.60 | 12.0 | | 10.8 | | 9.6 | |
| 35 | | | 35 | 4.80 | 14.0 | | 12.6 | | 11.2 | |
| 40 | | | 40 | 4.20 | 16.0 | | 14.4 | | 12.8 | |
| 45 | | | 45 | 3.72 | 18.0 | | 16.2 | | 14.4 | |
| 50 | | | 50 | 3.35 | 20.0 | | 18.0 | | 16.0 | |
| 55 | | | 55 | 3.05 | 22.0 | | 19.8 | | 17.6 | |
| 60 | | | 60 | 2.80 | 24.0 | | 21.6 | | 19.2 | |
| 65 | | | 65 | 2.58 | 26.0 | | 23.4 | | 20.8 | |
| 70 | | | 70 | 2.40 | 28.0 | | 25.2 | | 22.4 | |
| 75 | | | 75 | 2.23 | 30.0 | | 27.0 | | 24.0 | |
| 80 | | | 80 | 2.10 | 32.0 | | 28.8 | | 25.6 | |
| 90 | | | 90 | 1.86 | 36.0 | | 32.4 | | 28.8 | |
| 100 | | | 100 | 1.68 | 40.0 | | 36.0 | | 32.0 | |
| 125 | | | 125 | 1.34 | 50.0 | | 45.0 | | 40.0 | |
| 150 | 150 | 1.12 | 60.0 | 54.0 | 48.0 | | | | | |
| DWL 25x25 | 25 | 12.5 | 25 | 8.40 | 10.0 | 84 (824) | 9.0 | 76 (745) | 8.0 | 67 (657) |
| 30 | | | 30 | 7.00 | 12.0 | | 10.8 | | 9.6 | |
| 35 | | | 35 | 6.00 | 14.0 | | 12.6 | | 11.2 | |
| 40 | | | 40 | 5.25 | 16.0 | | 14.4 | | 12.8 | |
| 45 | | | 45 | 4.67 | 18.0 | | 16.2 | | 14.4 | |
| 50 | | | 50 | 4.20 | 20.0 | | 18.0 | | 16.0 | |
| 55 | | | 55 | 3.82 | 22.0 | | 19.8 | | 17.6 | |
| 60 | | | 60 | 3.50 | 24.0 | | 21.6 | | 19.2 | |
| 65 | | | 65 | 3.32 | 26.0 | | 23.4 | | 20.8 | |
| 70 | | | 70 | 3.00 | 28.0 | | 25.2 | | 22.4 | |
| 75 | | | 75 | 2.28 | 30.0 | | 27.0 | | 24.0 | |
| 80 | | | 80 | 2.63 | 32.0 | | 28.8 | | 25.6 | |
| 90 | | | 90 | 2.33 | 36.0 | | 32.4 | | 28.8 | |
| 100 | | | 100 | 2.10 | 40.0 | | 36.0 | | 32.0 | |
| 125 | | | 125 | 1.68 | 50.0 | | 45.0 | | 40.0 | |
| 150 | 150 | 1.40 | 60.0 | 54.0 | 48.0 | | | | | |
| 175 | 175 | 1.20 | 70.0 | 63.0 | 56.0 | | | | | |

| 呼稱 型號 | 外徑 (mm) | 內徑 (mm) | 自由長 (mm) | 定數 (kgf/mm) | 30萬回 | | 50萬回 | | 100萬回 | |
|-----------|------------|------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | | | | | 壓縮量 (mm) | 荷重 kgf(N) | 壓縮量 (mm) | 荷重 kgf(N) | 壓縮量 (mm) | 荷重 kgf(N) |
| DWL 27x25 | 27 | 13.5 | 25 | 10.00 | 10.0 | 100 (981) | 9.0 | 90 (883) | 8.0 | 80 (785) |
| 30 | | | 30 | 8.33 | 12.0 | | 10.8 | | | |
| 35 | | | 35 | 7.14 | 14.0 | | 12.6 | | | |
| 40 | | | 40 | 6.25 | 16.0 | | 14.4 | | | |
| 45 | | | 45 | 5.56 | 18.0 | | 16.2 | | | |
| 50 | | | 50 | 5.00 | 20.0 | | 18.0 | | | |
| 55 | | | 55 | 4.55 | 22.0 | | 19.8 | | | |
| 60 | | | 60 | 4.17 | 24.0 | | 21.6 | | | |
| 65 | | | 65 | 3.85 | 26.0 | | 23.4 | | | |
| 70 | | | 70 | 3.57 | 28.0 | | 25.2 | | | |
| 75 | | | 75 | 3.33 | 30.0 | | 27.0 | | | |
| 80 | | | 80 | 3.13 | 32.0 | | 28.8 | | | |
| 90 | | | 90 | 2.78 | 36.0 | | 32.4 | | | |
| 100 | | | 100 | 2.50 | 40.0 | | 36.0 | | | |
| 125 | | | 125 | 2.00 | 50.0 | | 45.0 | | | |
| 150 | | | 150 | 1.67 | 60.0 | | 54.0 | | | |
| 175 | | | 175 | 1.43 | 70.0 | | 63.0 | | | |
| DWL 30x25 | 30 | 15 | 25 | 12.11 | 10.0 | 121 (1,187) | 9.0 | 109 (1,069) | 8.0 | 97 (951) |
| 30 | | | 30 | 10.08 | 12.0 | | 10.8 | | | |
| 35 | | | 35 | 8.65 | 14.0 | | 12.6 | | | |
| 40 | | | 40 | 7.56 | 16.0 | | 14.4 | | | |
| 45 | | | 45 | 6.73 | 18.0 | | 16.2 | | | |
| 50 | | | 50 | 6.05 | 20.0 | | 18.0 | | | |
| 55 | | | 55 | 5.50 | 22.0 | | 19.8 | | | |
| 60 | | | 60 | 5.04 | 24.0 | | 21.6 | | | |
| 65 | | | 65 | 4.65 | 26.0 | | 23.4 | | | |
| 70 | | | 70 | 4.32 | 28.0 | | 25.2 | | | |
| 75 | | | 75 | 4.03 | 30.0 | | 27.0 | | | |
| 80 | | | 80 | 3.78 | 32.0 | | 28.8 | | | |
| 90 | | | 90 | 3.36 | 36.0 | | 32.4 | | | |
| 100 | | | 100 | 3.02 | 40.0 | | 36.0 | | | |
| 125 | | | 125 | 2.42 | 50.0 | | 45.0 | | | |
| 150 | | | 150 | 2.01 | 60.0 | | 54.0 | | | |
| 175 | | | 175 | 1.72 | 70.0 | | 63.0 | | | |
| DWL 35x40 | 35 | 17.5 | 200 | 1.51 | 80.0 | 165 (1,618) | 72.0 | 149 (1,461) | 64.0 | 132 (1,295) |
| 40 | | | 40 | 10.31 | 16.0 | | 14.4 | | | |
| 45 | | | 45 | 9.17 | 18.0 | | 16.2 | | | |
| 50 | | | 50 | 8.25 | 20.0 | | 18.0 | | | |
| 55 | | | 55 | 7.50 | 22.0 | | 19.8 | | | |
| 60 | | | 60 | 6.87 | 24.0 | | 21.6 | | | |
| 65 | | | 65 | 6.35 | 26.0 | | 23.4 | | | |
| 70 | | | 70 | 5.89 | 28.0 | | 25.2 | | | |
| 75 | | | 75 | 5.50 | 30.0 | | 27.0 | | | |
| 80 | | | 80 | 5.15 | 32.0 | | 28.8 | | | |
| 90 | | | 90 | 4.58 | 36.0 | | 32.4 | | | |
| 100 | | | 100 | 4.12 | 40.0 | | 36.0 | | | |
| 125 | | | 125 | 3.30 | 50.0 | | 45.0 | | | |
| 150 | | | 150 | 2.75 | 60.0 | | 54.0 | | | |
| 175 | | | 175 | 3.25 | 70.0 | | 63.0 | | | |
| 200 | | | 200 | 2.06 | 80.0 | | 72.0 | | | |

彈簧模具

| 呼稱 型號 | 外徑 (mm) | 內徑 (mm) | 自由長 (mm) | 定數 (kgf/mm) | 30萬回 | | 50萬回 | | 100萬回 | |
|-----------|------------|------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|
| | | | | | 壓縮量 (mm) | 荷重 kgf(N) | 壓縮量 (mm) | 荷重 kgf(N) | 壓縮量 (mm) | 荷重 kgf(N) |
| | | | | | | | | | | |
| DWL 40x40 | 40 | 20 | 40 | 13.5 | 16.0 | 216 (2,120) | 14.4 | 194 (1,903) | 12.8 | 173 (1,697) |
| 45 | | | 45 | 11.98 | 18.0 | | 16.2 | | | |
| 50 | | | 50 | 10.80 | 20.0 | | 18.0 | | | |
| 55 | | | 55 | 9.80 | 22.0 | | 18.0 | | | |
| 60 | | | 60 | 9.00 | 24.0 | | 21.6 | | | |
| 65 | | | 65 | 8.29 | 26.0 | | 23.4 | | | |
| 70 | | | 70 | 7.71 | 28.0 | | 25.2 | | | |
| 75 | | | 75 | 7.19 | 30.0 | | 27.0 | | | |
| 80 | | | 80 | 6.75 | 32.0 | | 28.8 | | | |
| 90 | | | 90 | 6.00 | 36.0 | | 32.4 | | | |
| 100 | | | 100 | 5.40 | 40.0 | | 36.0 | | | |
| 125 | | | 125 | 4.32 | 50.0 | | 45.0 | | | |
| 150 | | | 150 | 3.60 | 60.0 | | 54.0 | | | |
| 175 | | | 175 | 3.08 | 70.0 | | 63.0 | | | |
| 200 | | | 200 | 2.70 | 80.0 | | 72.0 | | | |
| 250 | 250 | 2.16 | 100.0 | 90.0 | | | | | | |
| DWL 50x50 | 50 | 25 | 50 | 16.89 | 20.0 | 338 (3,310) | 18.0 | 304 (2,980) | 16.0 | 270 (2,650) |
| 55 | | | 55 | 15.35 | 22.0 | | 19.8 | | | |
| 60 | | | 60 | 14.08 | 24.0 | | 21.6 | | | |
| 65 | | | 65 | 12.99 | 26.0 | | 23.4 | | | |
| 70 | | | 70 | 12.07 | 28.0 | | 25.2 | | | |
| 75 | | | 75 | 11.25 | 30.0 | | 27.0 | | | |
| 80 | | | 80 | 10.56 | 32.0 | | 28.8 | | | |
| 90 | | | 90 | 9.38 | 36.0 | | 32.4 | | | |
| 100 | | | 100 | 8.45 | 40.0 | | 36.0 | | | |
| 125 | | | 125 | 6.76 | 50.0 | | 45.0 | | | |
| 150 | | | 150 | 5.63 | 60.0 | | 54.0 | | | |
| 175 | | | 175 | 4.82 | 70.0 | | 63.0 | | | |
| 200 | | | 200 | 4.22 | 80.0 | | 72.0 | | | |
| 225 | | | 225 | 3.75 | 90.0 | | 81.0 | | | |
| 250 | | | 250 | 3.38 | 100.0 | | 90.0 | | | |
| 275 | 275 | 3.07 | 110.0 | 99.0 | | | | | | |
| 300 | 300 | 2.81 | 120.0 | 108.0 | | | | | | |
| 350 | 350 | 2.41 | 140.0 | 126.0 | | | | | | |
| 400 | 400 | 2.11 | 160.0 | 144.0 | | | | | | |
| 450 | 450 | 1.88 | 180.0 | 162.0 | | | | | | |
| 500 | 500 | 1.69 | 200.0 | 180.0 | | | | | | |
| DWL 60x60 | 60 | 30 | 60 | 20.25 | 24.0 | 486 (4,770) | 21.6 | 437 (4,290) | 19.2 | 389 (3,810) |
| 70 | | | 70 | 17.35 | 28.0 | | 25.2 | | | |
| 80 | | | 80 | 15.18 | 32.0 | | 28.8 | | | |
| 90 | | | 90 | 13.50 | 36.0 | | 32.4 | | | |
| 100 | | | 100 | 12.15 | 40.0 | | 36.0 | | | |
| 125 | | | 125 | 9.72 | 50.0 | | 45.0 | | | |
| 150 | | | 150 | 8.10 | 60.0 | | 54.0 | | | |
| 175 | | | 175 | 6.94 | 70.0 | | 63.0 | | | |
| 200 | | | 200 | 6.07 | 80.0 | | 72.0 | | | |
| 225 | | | 225 | 5.40 | 90.0 | | 81.0 | | | |
| 250 | | | 250 | 4.86 | 100.0 | | 90.0 | | | |
| 275 | | | 275 | 4.42 | 110.0 | | 99.0 | | | |
| 300 | | | 300 | 4.05 | 120.0 | | 108.0 | | | |
| 350 | | | 350 | 3.47 | 140.0 | | 126.0 | | | |
| 400 | | | 400 | 3.04 | 160.0 | | 144.0 | | | |
| 450 | 450 | 2.70 | 180.0 | 162.0 | | | | | | |
| 500 | 500 | 2.43 | 200.0 | 180.0 | | | | | | |

| 呼稱 型號 | 外徑 (mm) | 內徑 (mm) | 自由長 (mm) | 定數 (kgf/mm) | 30萬回 | | 50萬回 | | 100萬回 | | | | | | |
|-----------|------------|------------|-------------|----------------|-------------|---------------|-------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | | | 壓縮量 (mm) | 荷重 kgf(N) | 壓縮量 (mm) | 荷重 kgf(N) | 壓縮量 (mm) | 荷重 kgf(N) | | | | | |
| TLR 30x30 | 30 | 16 | 30 | 6.20 | 12.0 | 43 (745.6) | 10.8 | 68 (667.1) | 9.6 | 61 (598.4) | | | | | |
| 35 | | | 35 | 5.40 | 14.0 | | 12.6 | | | | | | | | |
| 40 | | | 40 | 4.80 | 16.0 | | 14.4 | | | | | | | | |
| 45 | | | 45 | 4.20 | 18.0 | | 16.2 | | | | | | | | |
| 50 | | | 50 | 3.80 | 20.0 | | 18.0 | | | | | | | | |
| 55 | | | 55 | 3.50 | 22.0 | | 19.8 | | | | | | | | |
| 60 | | | 60 | 3.20 | 24.0 | | 21.6 | | | | | | | | |
| 65 | | | 65 | 2.90 | 26.0 | | 23.4 | | | | | | | | |
| 70 | | | 70 | 2.70 | 28.0 | | 25.2 | | | | | | | | |
| 75 | | | 75 | 2.50 | 30.0 | | 27.0 | | | | | | | | |
| 80 | | | 80 | 2.40 | 32.0 | | 28.8 | | | | | | | | |
| 90 | | | 90 | 2.10 | 36.0 | | 32.4 | | | | | | | | |
| 100 | | | 100 | 1.90 | 40.0 | | 36.0 | | | | | | | | |
| 125 | | | 125 | 1.50 | 50.0 | | 45.0 | | | | | | | | |
| 150 | | | 150 | 1.30 | 60.0 | | 54.0 | | | | | | | | |
| 175 | | | 175 | 1.10 | 70.0 | | 63.0 | | | | | | | | |
| TLR 35x40 | | | 35 | 20 | 40 | | 9.70 | | 16.0 | | 155 (1,519) | 14.4 | 140 (1,372) | 12.8 | 124 (1,215) |
| 45 | 45 | 8.62 | | | 18.0 | 16.2 | | | | | | | | | |
| 50 | 50 | 7.75 | | | 20.0 | 18.0 | | | | | | | | | |
| 55 | 55 | 7.05 | | | 22.0 | 19.8 | | | | | | | | | |
| 60 | 60 | 6.46 | | | 24.0 | 21.6 | | | | | | | | | |
| 65 | 65 | 5.96 | | | 26.0 | 23.4 | | | | | | | | | |
| 70 | 70 | 5.54 | | | 28.0 | 25.2 | | | | | | | | | |
| 75 | 75 | 5.17 | | | 30.0 | 27.0 | | | | | | | | | |
| 80 | 80 | 4.85 | | | 32.0 | 28.8 | | | | | | | | | |
| 90 | 90 | 4.31 | | | 36.0 | 32.4 | | | | | | | | | |
| 100 | 100 | 3.88 | | | 40.0 | 36.0 | | | | | | | | | |
| 125 | 125 | 3.10 | | | 50.0 | 45.0 | | | | | | | | | |
| 150 | 150 | 2.59 | | | 60.0 | 54.0 | | | | | | | | | |
| 175 | 175 | 2.21 | | | 70.0 | 63.0 | | | | | | | | | |
| 200 | 200 | 1.93 | | | 80.0 | 72.0 | | | | | | | | | |
| TLR 40x50 | 40 | 26 | | | 50 | 8.70 | 20.0 | 174 (1,705) | 18.0 | 157 (1,539) | | 16.0 | | 138 (1,352) | |
| 60 | | | | | 60 | 7.20 | 24.0 | | 21.6 | | | | | | |
| 70 | | | 70 | 6.20 | 28.0 | 25.2 | | | | | | | | | |
| 80 | | | 80 | 5.40 | 32.0 | 28.8 | | | | | | | | | |
| 90 | | | 90 | 4.80 | 36.0 | 32.4 | | | | | | | | | |
| 100 | | | 100 | 4.30 | 40.0 | 36.0 | | | | | | | | | |
| 125 | | | 125 | 3.50 | 50.0 | 45.0 | | | | | | | | | |
| 150 | | | 150 | 2.90 | 60.0 | 54.0 | | | | | | | | | |
| 175 | | | 175 | 2.50 | 70.0 | 63.0 | | | | | | | | | |
| 200 | | | 200 | 2.20 | 80.0 | 72.0 | | | | | | | | | |
| 250 | | | 250 | 1.70 | 100.0 | 90.0 | | | | | | | | | |
| TLR 50x60 | | | 50 | 30 | 60 | 10.80 | 24.0 | | 260 (2,550) | | 21.6 | 233 (2,263) | 19.2 | | 207 (2,029) |
| 70 | | | | | 70 | 9.30 | 28.0 | | | | 25.2 | | | | |
| 80 | | | | | 80 | 7.20 | 32.0 | | | | 28.8 | | | | |
| 90 | | | | | 90 | 6.50 | 36.0 | | | | 32.4 | | | | |
| 100 | | | | | 100 | 5.20 | 40.0 | | | | 36.0 | | | | |
| 125 | | | | | 125 | 4.30 | 50.0 | | | | 45.0 | | | | |
| 150 | 150 | 3.70 | | | 60.0 | 54.0 | | | | | | | | | |
| 175 | 175 | 3.30 | | | 70.0 | 63.0 | | | | | | | | | |
| 200 | 200 | 2.60 | | | 80.0 | 72.0 | | | | | | | | | |
| 250 | 250 | 2.20 | | | 100.0 | 90.0 | | | | | | | | | |
| 300 | 300 | 1.85 | | | 120.0 | 108.0 | | | | | | | | | |
| 350 | 350 | 1.65 | | | 140.0 | 126.0 | | | | | | | | | |
| 400 | 400 | 1.30 | | | 160.0 | 144.0 | | | | | | | | | |
| 450 | 450 | 1.20 | | | 180.0 | 162.0 | | | | | | | | | |
| 500 | 500 | 1.10 | | | 200.0 | 180.0 | | | | | | | | | |